

LOCAL HEALTH DEPARTMENTS

[illegible]

NATALITY

| | | | | | | | |
|--|-----------------------|----------------------------------|------------------------------|------------------------------|------------------------------|--------|---------|
| TOTAL LIVE BIRTHS | 392 | Birth Order | Births | Percent | Marital Status of Mother | Births | Percent |
| Crude Live Birth Rate | 10.5 | First | 158 | 40 | Married | 285 | 73 |
| General Fertility Rate | 54.3 | Second | 132 | 34 | Not married | 107 | 27 |
| Live births with reported congenital anomalies | 2 0.5% | Third | 62 | 16 | Unknown | 0 | 0 |
| | | Fourth or higher | 40 | 10 | | | |
| | | Unknown | 0 | 0 | Education of Mother | Births | Percent |
| Delivery Type | Births Percent | 1st Prenatal Visit | Births | Percent | Elementary or less | 2 | 1 |
| Vaginal after previous cesarean | 3 1 | 1st trimester | 331 | 84 | Some high school | 49 | 13 |
| Forceps | 3 1 | 2nd trimester | 52 | 13 | High school | 140 | 36 |
| Other vaginal | 312 80 | 3rd trimester | 9 | 2 | Some college | 116 | 30 |
| Primary cesarean | 50 13 | No visits | 0 | 0 | College graduate | 85 | 22 |
| Repeat cesarean | 24 6 | Unknown | 0 | 0 | Unknown | 0 | 0 |
| Birthweight | Births Percent | Prenatal Visits | Births | Percent | Smoking Status of Mother | Births | Percent |
| <1,500 gm | 3 0.8 | No visits | 0 | 0 | Smoker | 80 | 20 |
| 1,500-2,499 gm | 18 4.6 | 1-4 | 10 | 3 | Nonsmoker | 312 | 80 |
| 2,500+ gm | 371 94.6 | 5-9 | 75 | 19 | Unknown | 0 | 0 |
| Unknown | 0 0 | 10-12 | 171 | 44 | | | |
| | | 13+ | 135 | 34 | | | |
| | | Unknown | 1 | <.5 | | | |
| Race/Ethnicity | Births Percent | Low Birthweight (under 2,500 gm) | 1st Trimester Births Percent | 2nd Trimester Births Percent | Other/Unknown Births Percent | | |
| White | 379 97 | Births Percent | Births Percent | Births Percent | Births Percent | | |
| Black/Afr. American | 1 <.5 | 21 5.5 | 323 85 | 48 13 | 8 2 | | |
| American Indian | 9 2 | * . | * . | * . | * . | | |
| Hispanic/Latino | 2 1 | . . | 4 44 | 4 44 | 1 11 | | |
| Laotian/Hmong | 0 0 | * . | * . | * . | * . | | |
| Other/Unknown | 1 <.5 | * . | * . | * . | * . | | |
| Age of Mother | Births Fertility Rate | Low Birthweight (under 2,500 gm) | 1st Trimester Births Percent | 2nd Trimester Births Percent | Other/Unknown Births Percent | | |
| <15 | 0 -- | Births Percent | Births Percent | Births Percent | Births Percent | | |
| 15-17 | 11 14 | 1 9.1 | 7 64 | 4 36 | . . | | |
| 18-19 | 27 51 | 3 11.1 | 17 63 | 8 30 | 2 7 | | |
| 20-24 | 97 106 | 3 3.1 | 78 80 | 16 16 | 3 3 | | |
| 25-29 | 121 148 | 7 5.8 | 107 88 | 12 10 | 2 2 | | |
| 30-34 | 86 78 | 4 4.7 | 76 88 | 8 9 | 2 2 | | |
| 35-39 | 46 32 | 3 6.5 | 42 91 | 4 9 | . . | | |
| 40+ | 4 2 | * . | * . | * . | * . | | |
| Unknown | 0 -- | . . | . . | . . | . . | | |
| Teenage Births | 38 29 | | | | | | |

* Data not reported if age or race category has less than 5 births.

----- MORBIDITY -----

----- MORTALITY -----

REPORTED CASES OF SELECTED DISEASES*

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | 5 |
| Giardiasis | <5 |
| Hepatitis Type A | 0 |
| Hepatitis Type B** | <5 |
| Hepatitis NANB/C | 11 |
| Legionnaires | 0 |
| Lyme | 0 |
| Measles | <5 |
| Meningitis, Aseptic | 0 |
| Meningitis, Bacterial | 0 |
| Mumps | 0 |
| Pertussis | 0 |
| Salmonellosis | 6 |
| Shigellosis | 0 |
| Tuberculosis | 0 |

* 2003 provisional data.

** Includes all positive HBsAg test results.

Sexually Transmitted Disease

| | |
|-----------------------|----|
| Chlamydia Trachomatis | 49 |
| Genital Herpes | 13 |
| Gonorrhea | <5 |
| Syphilis | 0 |

----- IMMUNIZATIONS -----

| | |
|---|-------|
| Children in Grades K-12 by Compliance Level | |
| Compliant | 6,017 |
| Non-compliant | 81 |
| Percent Compliant | 98.7 |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

| | |
|------------------|-----|
| TOTAL DEATHS | 329 |
| Crude Death Rate | 882 |

| Age | Deaths | Rate |
|-------|--------|--------|
| 1-4 | 1 | . |
| 5-14 | . | . |
| 15-19 | 3 | . |
| 20-34 | 12 | . |
| 35-54 | 30 | 252 |
| 55-64 | 41 | 978 |
| 65-74 | 42 | 1,418 |
| 75-84 | 109 | 5,715 |
| 85+ | 88 | 12,148 |

| | | |
|------------------|--------|------|
| Infant Mortality | Deaths | Rate |
| Total Infant | 3 | . |
| Neonatal | 3 | . |
| Postneonatal | . | . |
| Unknown | . | . |

| | |
|----------------|---|
| Race of Mother | |
| White | 3 |
| Black | . |
| Hispanic | . |
| Laotian/Hmong | . |
| Other/Unknown | . |

| | |
|----------------|---|
| Birthweight | |
| <1,500 gm | 2 |
| 1,500-2,499 gm | 1 |
| 2,500+ gm | . |
| Unknown | . |

| | | |
|---------------------|--------|------|
| Perinatal Mortality | Deaths | Rate |
| Total Perinatal | 3 | . |
| Neonatal | 3 | . |
| Fetal | . | . |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 85 | 228 |
| Ischemic heart disease | 49 | 131 |
| Cancer (total) | 70 | 188 |
| Trachea/Bronchus/Lung | 15 | . |
| Colorectal | 7 | . |
| Female Breast | 7 | .* |
| Cerebrovascular Disease | 22 | 59 |
| Lower Resp. Disease | 18 | . |
| Pneumonia & Influenza | 7 | . |
| Accidents | 30 | 80 |
| Motor vehicle | 21 | 56 |
| Diabetes | 15 | . |
| Infect./Parasitic Dis. | 6 | . |
| Suicide | 3 | . |

* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| | | |
|----------------|-----|----|
| Alcohol | 4 | . |
| Other Drugs | 32* | 86 |
| Both Mentioned | 2 | . |

* Includes tobacco use (see page 7).

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 362 | 17 |
| Alcohol-Related | 65 | 9 |
| With Citation: | | |
| For OWI | 60 | 1 |
| For Speeding | 28 | 0 |
| Motorcyclist | 22 | 3 |
| Bicyclist | 4 | 0 |
| Pedestrian | 3 | 1 |

2003 HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------|---------------------|----------------|-------------------|---|--------|---------------|---------------------|----------------|-------------------|
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 325 | 8.7 | 4.7 | \$18,026 | \$157 | Total | 56 | 1.5 | 3.7 | \$5,729 | \$9 |
| <18 | 36 | 4.1 | 3.0 | \$12,298 | \$50 | 18-44 | 33 | 2.5 | 3.7 | \$5,334 | \$14 |
| 18-44 | 80 | 6.1 | 4.6 | \$20,988 | \$129 | 45-64 | 17 | . | . | . | . |
| 45-64 | 74 | 7.5 | 4.6 | \$18,699 | \$140 | Pneumonia and Influenza | | | | | |
| 65+ | 135 | 24.1 | 5.4 | \$17,429 | \$421 | Total | 150 | 4.0 | 4.0 | \$9,293 | \$37 |
| Injury: Hip Fracture | | | | | | <18 | 16 | . | . | . | . |
| Total | 36 | 1.0 | 4.7 | \$16,629 | \$16 | 45-64 | 29 | 2.9 | 3.7 | \$10,767 | \$32 |
| 65+ | 30 | 5.4 | 4.5 | \$16,790 | \$90 | 65+ | 101 | 18.1 | 4.4 | \$9,587 | \$173 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 18 | . | . | . | . | Total | 120 | 3.2 | 3.9 | \$13,593 | \$44 |
| 18-44 | 11 | . | . | . | . | 45-64 | 22 | 2.2 | 3.7 | \$15,316 | \$34 |
| Psychiatric | | | | | | 65+ | 91 | 16.3 | 3.7 | \$11,652 | \$190 |
| Total | 145 | 3.9 | 9.3 | \$8,214 | \$32 | Chronic Obstructive Pulmonary Disease | | | | | |
| <18 | 37 | 4.2 | 7.9 | \$7,073 | \$30 | Total | 67 | 1.8 | 3.3 | \$7,935 | \$14 |
| 18-44 | 66 | 5.1 | 12.1 | \$10,069 | \$51 | <18 | 10 | . | . | . | . |
| 45-64 | 30 | 3.0 | 7.0 | \$6,945 | \$21 | 18-44 | 9 | . | . | . | . |
| 65+ | 12 | . | . | . | . | 45-64 | 18 | . | . | . | . |
| Coronary Heart Disease | | | | | | 65+ | 30 | 5.4 | 3.9 | \$8,999 | \$48 |
| Total | 218 | 5.8 | 3.6 | \$23,437 | \$137 | Drug-Related | | | | | |
| 45-64 | 75 | 7.6 | 3.5 | \$26,219 | \$199 | Total | 7 | . | . | . | . |
| 65+ | 132 | 23.6 | 3.7 | \$21,732 | \$513 | 18-44 | 4 | . | . | . | . |
| Malignant Neoplasms (Cancers): All | | | | | | Total Hospitalizations | | | | | |
| Total | 162 | 4.3 | 6.5 | \$23,018 | \$100 | Total | 3,920 | 105.1 | 3.8 | \$11,367 | \$1,195 |
| 18-44 | 15 | . | . | . | . | <18 | 627 | 71.3 | 2.9 | \$4,948 | \$353 |
| 45-64 | 67 | 6.8 | 5.6 | \$19,694 | \$134 | 18-44 | 968 | 74.4 | 3.5 | \$9,388 | \$698 |
| 65+ | 78 | 13.9 | 6.5 | \$20,955 | \$292 | 45-64 | 847 | 85.7 | 4.0 | \$14,641 | \$1,255 |
| Neoplasms: Female Breast (rates for female population) | | | | | | 65+ | 1,478 | 264.2 | 4.3 | \$13,511 | \$3,570 |
| Total | 11 | . | . | . | . | | | | | | |
| Neoplasms: Col o-rectal | | | | | | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Total | 17 | . | . | . | . | Total | 493 | 13.2 | 3.4 | \$7,505 | \$99 |
| 65+ | 13 | . | . | . | . | <18 | 50 | 5.7 | 2.0 | \$4,193 | \$24 |
| Neoplasms: Lung | | | | | | 18-44 | 45 | 3.5 | 2.6 | \$6,730 | \$23 |
| Total | 14 | . | . | . | . | 45-64 | 110 | 11.1 | 3.2 | \$7,839 | \$87 |
| Diabetes | | | | | | 65+ | 288 | 51.5 | 3.8 | \$8,073 | \$416 |
| Total | 57 | 1.5 | 4.6 | \$13,093 | \$20 | | | | | | |
| 65+ | 21 | 3.8 | 5.3 | \$12,294 | \$46 | | | | | | |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.